# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/003,997	11/14/2001	Sudhir Aggarwal	US018184	6069
7	590 10/01/2004		EXAM	INER
Corporate Pat	ent Counsel;		NGUYEN, K	CHAI MINH
Philips Electro 580 White Plai	nics North America Cor	poration	ART UNIT	PAPER NUMBER
Tarrytown, N			2684	

Please find below and/or attached an Office communication concerning this application or proceeding.

OCT 2 0 2004
Technology Center 2600

DATE MAILED: 10/01/2004

PTO-90C (Rev. 10/03)

,	Application No.	Applicant(s)		
	10/003,997	AGGARWAL ET AL.		
Office Action Summary	Examiner	Art Unit		
	Khai M Nguyen	2684		
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).		
Status				
1) Responsive to communication(s) filed on 11/14	<u>1/2001</u> .			
2a) This action is <b>FINAL</b> . 2b) ☑ This	action is non-final.			
3) Since this application is in condition for allowar				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	63 O.G. 213.		
Disposition of Claims				
4) Claim(s) <u>1-20</u> is/are pending in the application. 4a) Of the above claim(s) is/are withdraw				
5) Claim(s) is/are allowed.	William constant and the			
6) Claim(s) <u>1,2,4-8,10-15,19 and 20</u> is/are rejected	d.			
7) Claim(s) <u>3,9 and 16-18</u> is/are objected to.				
8) Claim(s) are subject to restriction and/or	r election requirement.			
Application Papers				
9) The specification is objected to by the Examine	r. ·			
10) The drawing(s) filed on is/are: a) acce		Examiner.		
Applicant may not request that any objection to the				
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).		
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.		
Priority under 35 U.S.C. § 119				
12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of:		-(d) or (f).		
1. Certified copies of the priority documents		an No		
<ul><li>2. Certified copies of the priority documents</li><li>3. Copies of the certified copies of the priority</li></ul>	• •			
application from the International Bureau	-	a in this National Stage		
* See the attached detailed Office action for a list	, , , , , , , , , , , , , , , , , , , ,	d.		
a com	·			
Attachment(s)				
1) Notice of References Cited (PTO-892)	4) Interview Summary			
<ul> <li>2) Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)</li> </ul>	Paper No(s)/Mail Da 5) Notice of Informal F	ate Patent Application (PTO-152)		
Paper No(s)/Mail Date <u>11/14/01, 4/2/03</u> .	6) Other:			
.S. Patent and Trademark Office				

Art Unit: 2684

# **DETAILED ACTION**

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-2, 4-8, 10 are rejected under 35 U.S.C. 102(e) as being anticipated by Indseth (U.S. Pub-2002/0049044).

Regarding claim 1, Indseth teaches an impedance matching circuit for a multiband radio frequency device (fig.1-2, paragraph 0052-0054), said impedance matching circuit comprising:

an input circuit for receiving a multi-band radio frequency signal (paragraph 0055);

a frequency selective network comprising a first frequency selective sub-network that is configured to selectively output a first radio frequency signal comprised in a first sub-band of said multi-band radio frequency signal (fig.1-2, paragraph 0053), and a second frequency selective sub-network that is configured to selectively output a second radio frequency signal comprised in a second sub-band of said multi-band radio

Art Unit: 2684

frequency signal (fig.1-2, paragraph 0053), said first and second frequency selective sub-networks being switch-less networks (fig.1-2).

Regarding claim 2, Indseth teaches an impedance matching network as claimed in claim 1, wherein said first frequency selective sub-network comprises a common reactive element of a first type (paragraph 0055), and a first reactive element of a second type (paragraph 0055), and said second frequency selective sub-network comprises said common reactive element (paragraph 0055), and a second reactive element of said second type (paragraph 0055), said first and second reactive elements being arranged in series (paragraph 0058, 0066), said first radio frequency signal being outputted at a first node of said series arrangement and said second radio frequency signal being outputted at a second node of said series arrangement (fig.10, element rf, Bi, Bq, paragraph 0068).

Regarding claim 4, Indseth teaches an impedance matching network as claimed in claim 1, wherein said first frequency selective sub-network comprises a series arrangement of common reactive elements of a first type (paragraph 0058), and a first reactive element of a second type (paragraph 0055), and said second frequency selective sub-network comprises said series arrangement of common reactive elements (paragraph 0058), and a second reactive element of said second type (paragraph 0055), said first reactive element being coupled between a first node of said series

Art Unit: 2684

arrangement and a first output node for outputting said first radio frequency signal (fig.10, element Bi, paragraph 0068), and said second reactive element being coupled between a second node of said series arrangement and a second output node for outputting said second radio frequency signal (fig.10, element Bq, paragraph 0068).

Regarding claim 5, Indseth teaches an impedance matching network as claimed in claim 4, wherein said frequency selective network comprises a third frequency selective sub-network that is configured to selectively output a third radio frequency signal comprised in a third sub-band of said multi-band radio frequency signal (paragraph 0031-0032).

Regarding claim 6, Indseth teaches an impedance matching network as claimed in claim 1, wherein the input circuit is an adder circuit (fig.1-2, element Combiner, paragraph 0090).

Regarding claim 7, Indseth teaches an impedance matching network as claimed in claim 6, wherein the adder circuit is comprised of connected nodes for receiving signals from first and second mixer circuits (fig.1-2, elements Li, Lq, paragraph 0090).

Art Unit: 2684

Regarding claim 8, Indseth teaches an impedance matching network as claimed in claim 1, wherein the input circuit is comprised of at least one input terminal for receiving said multi-band radio frequency signal (paragraph 0031).

Regarding claim 10, Indseth teaches a multi-band radio frequency device with an impedance matching circuit (fig.1-2, paragraph 0052-0054), said impedance matching network comprising:

an input circuit for receiving a multi-band radio frequency signal (paragraph 0055);

a frequency selective network comprising a first frequency selective sub-network that is configured to selectively output a first radio frequency signal comprised in a first sub-band of said multi-band radio frequency signal (fig.1-2, paragraph 0053), and a second frequency selective sub-network that is configured to selectively output a second radio frequency signal comprised in a second sub-band of said multi-band radio frequency signal (fig.1-2, paragraph 0053), said first and second frequency selective sub-networks being switch-less networks (fig.1-2, fig.10).

Regarding claim 11, Indseth teaches a multi-band radio frequency device as claimed in claim 10, wherein said first frequency selective sub-network comprises a common reactive element of a first type (paragraph 0055), and a first reactive element

Art Unit: 2684

of a second type (paragraph 0055), and said second frequency selective sub-network comprises said common reactive element (paragraph 0055), and a second reactive element of said second type (paragraph 0055), said first and second reactive elements being arranged in series (paragraph 0058, 0066), said first radio frequency signal being outputted at a first node of said series arrangement and said second radio frequency signal being outputted at a second node of said series arrangement (fig.10, elements rf, Bi, Bq, paragraph 0068).

Regarding claim 12, Indseth teaches a multi-band radio frequency device as claimed in claim 10, wherein said first frequency selective sub-network comprises a series arrangement of common reactive elements of a first type (paragraph 0058), and a first reactive element of a second type (paragraph 0055), and said second frequency selective sub-network comprises said series arrangement of common reactive elements (paragraph 0058), and a second reactive element of said second type (paragraph 0055), said first reactive element being coupled between a first node of said series arrangement and a first output node for outputting said first radio frequency signal (fig.10, element Bi, paragraph 0068), and said second reactive element being coupled between a second node of said series arrangement and a second output node for outputting said second radio frequency signal (fig.10, element Bq, paragraph 0068).

Art Unit: 2684

Regarding claim 13, Indseth teaches a multi-band radio frequency device as claimed in claim 10, further comprising first and second mixer circuits (fig.10, elements Li, Lq, paragraph 0103), the input circuit comprising connected nodes for receiving signals from first and second mixer circuits (fig.10, elements Bi, Bq, paragraph 0103).

Regarding claim 14, Indseth teaches a multi-band radio frequency device as claimed in claim 13, further comprising a first amplifier circuit for amplifying said first radio frequency signal (paragraph 0063), and a second amplifier circuit for amplifying said second radio frequency signal (paragraph 0063).

Regarding claim 15, Indseth teaches a multi-band radio frequency device as claimed in claim 14, wherein said impedance matching circuit, said first and second mixers (paragraph 0063), and said first and second amplifier circuits are comprised in a transmit branch of said multi-band radio frequency device (fig. 10, paragraph 0063-0066).

Regarding claim 19, Indseth teaches an impedance matching method for a multiband radio frequency device, said impedance matching method comprising:

selectively outputting a first radio frequency signal comprised in a first sub-band of a multi-band radio frequency signal (fig.10, paragraph 0055, 0059-0067);

Art Unit: 2684

selectively outputting a second radio frequency signal comprised in a second sub-band of said multi-band radio frequency signal (fig.10, paragraph 0055, 0059-0067), said first and second selectively outputting being done without applying switching in a signal path (fig.1-2, fig.10).

Regarding claim 20, Indseth teaches an impedance matching method as claimed in claim 19, further comprising selectively outputting a third radio frequency signal comprised in a third sub-band of a multi-band radio frequency signal (paragraph 0031-0032), said third selectively outputting being done without applying switching in the signal path (fig.1-2, fig.10).

# Allowable Subject Matter

Claims 3, 9, 16-18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

# Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khai M Nguyen whose telephone number is 703.305.3906. The examiner can normally be reached on 8:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on 703.308.7745. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Khai Nguyen Au:2684

9/28/2004

NICK CORSARO PRIMARY EXAMINER

Sheet	1	of	1

		TO-:										MMERCE OFFICE			Atty. Docket No.US018184	Se	rial	No.					_
INI	FOR	MA'	TIO	N D	ISC	LO	SUI	RE	Cl	TAT				$\vdash$		HIR A	AGGARI	WAL	& MAT	тні	AS LO		
(Vi	3 <b>9</b> 8	<b>eve</b> :	ral	she	ets	if	ne	Ce	38a	Σ¥)				1	iling Date	Gr	oup						
														Ļ	1/14/2001			_	_			11046	<u> </u>
		U.S	3. P	ATE	דא	DC	CL	M	EN	TS												<b>J10</b>	
Ex. Int				nupe ocni		:				t	ate	9			, Name	Cl	ass	Sub			ling h	Date	
K	N	AA	6	2	4	3	5	6	6	6/	6/:	2001	Pe	ec	tham et al.					5/	1/200	0	
k)	$\overline{}$	AB	6	2	9	8	2	4	4	10	/2/	/2001	В	085	sch et al.	$\vdash$				6/	10/19	98	
k	N	AC	6	3	0	4	7	4	8	10	/10	5/2001	Li	iε	et al.	†				9/	23/19	98	_
K	N	AD	6	2	9	2	4	7	4	9/	18/	/2001	A.	li	et al.					5/:	24/19	9	
k	N	ΑE	6	2	4	2	9	8	6	6/	5/2	2001	Ac	dar						5/:	18/199	98	
	N	AF	6	2	1	5	9	В	8	4/	10/	2001	Ма	ate	ro					5/2	27/199	9	
	k	AG	Ш		Ш		Ш																
					_															-			
	,	FO	REI	GN	PA	TEN	IT (	00	CU	ME	NT	S											
			ocui	nent	:							Dat	9		Country C			lass Sub		,		s.	_
				3L														i	Clas	88	Yes	No	
	АН				Τ	Τ	T																
	AI					T	T							1									_
	ΑJ	T			T		T							十									
**	AK			H	$\vdash$	+	+	$\dashv$	$\dashv$		Н		-	十	·	$\neg$	-						
	AL					T	1							1									
	AM				Γ		1	一						1									_
OTH	ER	(Inc	luc	Ling	Au	tho	_ <u>_</u>	Ti	le:	, D	ate	, Pert	iner	_L nt	Pages, Etc.)				L		· .		
															CDMA/AMPS DUAL	-BAN	D WIF	ELE:	SS TR	ANSI	MITTER	us,	
kil	AN														Circuits Sympos								
اريا	AO		Ka	mal	Sa	hota	<b>1</b> 01	t a	1.,	A	BAS	SE-BAND	TO	) R	F BICMOS TRANSP	1I TTE	R RF1	C F	OR DU	AL-I	BAND	·	
ΚN		$oxed{oxed}$	СМ	DA/	MP:	S WI	RE	LES	SI	LAND	SET	rs, 200	0 1	IEE	E.								
	AP	$\sqcup$																					
	AR																			-			_
	AS										-												_
								-									L						
Exar	nine	r	U	na	ئد	NG	χ.	<u>~~~~</u>	$\sim$						Date Considered	1 4	1/28	12	004				
exa)	AINE:	R:	Ini	tial	lii	re	ιφ.	en)	ce	con	sid	lered,	whe	th	er or not citat	ion	is in	COL	forma	ance	with		
															onformance and i	not d	consid	dere	d. I	ncl	ude a		
Copy	of	thi	s f	orm	Wi	th i	лөх	to	:OM	מטם	ica	tion to	ap	ppl	icant.								

APR 2 2 2003 SS

NFORMATION DISCLOSURE STATEMENT BY APPLICANT

Application Number	10/003,997
Filing Date	11/14/2001
First Named Inventor	AGGARWAL, Sudhir
Art Unit	2681
Examiner Name	Unknown
Attorney Docket Number	US01 8184

			U.S. PA	ATENT DOCUMENTS	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
Examiner Initials*	Cite No. <sup>1</sup>	Document Number NoKind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns Lines, Where Relevant Passages or Relevant Figures Appear
kN	1	us- 5,969,582 A	10-19-1999	Boesch, Ronald D. et al.	BECEIVE
		US-			
		US-			APR 2 4 2003
		U\$-			T-1-1-0-1-0
-		US-			Technology Center 2
		US-			

le la		The second state of the se	FOREIGN	PATENT DOCUMENTS	Table State (Markey) Consider School (Markey)	• ;
Examiner Initials*	Cite No.1	Document Number (ctry³-no.⁴-kind⁵, if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of cited document	Pages, Columns Lines, Where Relevant Passages or Relevant Figures Appear	76
KN	2	EP 0 772 304 A2	5-7-1997	Ford Motor Co.	· · · · · · · · · · · · · · · · · · ·	
						+
						$\top$

 : · · · ·	NON-PATENT LITERATURE DOCUMENTS	16.5
Cite No.1	Include name of the author (in capital letters), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	7
		$\dagger$
		$\downarrow$
		$\dagger$

	 <del></del>	
Examiner Signature	Date Considered 9/2004	•

<sup>\*</sup> EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Unique citation designation number. <sup>2</sup> See attached Kinds of U.S. Patent Documents. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

# Notice of References Cited Application/Control No. 10/003,997 Examiner Khai M Nguyen Applicant(s)/Patent Under Reexamination AGGARWAL ET AL. Page 1 of 1

## **U.S. PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	Α	US-2002/0049044 A1	04-2002	Indseth, Hakon	455/118
	В	US-6,414,562 B1	07-2002	Bouisse et al.	333/32
	O	US-2002/0160738 A1	10-2002	Allott et al.	455/304
	D	US-			
	Ε	US-			
	F	US-			
	G	US-			
	Н	US-			
	ı	US-			
	J	US-			
	К	US-			
	L	US-		·	
	М	US-			***·

### **FOREIGN PATENT DOCUMENTS**

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	0					
	Р					
	α					
	R					
	S			,		
	T					

# **NON-PATENT DOCUMENTS**

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	٧	
· sercine	w	
	x	

\*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).) Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

PENALTY PRINCIPLE MALTY PRINCIPLE MALTY PRINCIPLE DISCOUNTS TO THE PRINCIPLE OF THE PRINCIP

# AN EQUAL OPPORTUNITY EMPLOYER

OFFICIAL BUSINESS

IF UNDELIVERABLE RETURN IN TEN DAYS

ALEXANDRIA, VA 22313-1450

P.O. BOX 1450

COMMISSIONER FOR PATENTS



